



WiZ Bulb A60 E27

Brand : WiZ

Product code: 8718699786038

Product name : Bulb A60 E27

- Smart dimming
- Easy plug and play
- Control from anywhere
- Automate your light with schedules
- Energy monitoring
- Customised Scenes
- Soft warm white light
- Voice control

Bulb A60 dimmable E27, 2700 K

WiZ Bulb A60 E27:

Enjoy more convenience in everyday life with this smart WiZ LED A60 bulb. This bulb gives soft white light that dims to your desired brightness level via app or voice. You can set schedule to turn lights on and off according to your daily or weekly routines, and have remote access to your lights even when you're away. WiZ lights connect to your existing Wi-Fi, no additional hardware is needed.

WiZ Bulb A60 E27. Type: Smart bulb, Product colour: White, Interface: Wi-Fi. Energy efficiency class: F, AC input voltage: 220-240 V, AC input frequency: 50-60 Hz. Width: 60 mm, Depth: 60 mm, Height: 122 mm. Package type: Box, Package width: 7 mm, Package depth: 70 mm. Quantity per pack: 1 pc(s)



Features		Features	
Type *	Smart bulb	Instant full light	✓
Bulb type	LED	Product title	Wi-Fi BLE 60W A60 E27 927 DIM 1PF/6
Fitting/cap type	E27	Power	
Light colour	Soft white	Energy efficiency class	F
Colour temperature (min)	2700 K	AC input voltage	220-240 V
Colour temperature (max)	2700 K	AC input frequency	50-60 Hz
Luminous flux	806 lm	Rated power	8 W
Bulb power	8 W	Weight & dimensions	
Equivalent bulb power	60 W	Width	60 mm
Rated lifetime	25000 h	Depth	60 mm
Product colour *	White	Height	122 mm
Interface *	Wi-Fi	Length	12.2 cm
Dimmable	✓	Weight	60 g
Replacement bulb power (max)	8 W	Packaging data	
Bulb size	A60	Package type	Box
Color Rendering Index (CRI)	90	Package width	7 mm
Warm-up time to 60% light	Миттєве досягнення максимальної яскравості	Package depth	70 mm
Number of switch cycles	50000	Package height	16 mm
Start-up time	0.5 s	Package net weight	60 g
Glass type	Matt	Package gross weight	120 g
Lumen maintenance factor	70%	Packaging content	
Bulb lifetime (@ 2.7 hrs/day)	25 year(s)	Quantity per pack *	1 pc(s)
Colour consistency (SDCM)	6	Technical details	
Eye comfort	✗	Placement supported	Indoor
Power factor	0.51	EAN/UPC/GTIN (packaging)	8718699786038
Rated luminous flux	806 lm	EOC code	871869978603800
Bulb current	70 mA		
Luminous efficacy	100 lm/W		

Technical details

Input voltage	220-240 V
---------------	-----------

Logistics data

12NC Logistic code(s)	929002450202
-----------------------	--------------



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.