

## Declaration of performance

**Producer:** AS VILJANDI AKEN JA UKS, reg no 10052966, Puidu 6, 71020 Viljandi, Estonia

Hereby declares that

**Product:** internal door **RU34RT8**

**Product description:** hinged timber leaf hung in timber frame

**Systems of assessment and verification of constancy of performance of the construction product:** system 3

**Produced:** AS Viljandi Aken ja Uks, Piiri 2a, 71020, Viljandi, Estonia

Confirms with characteristics in product standard EN 14351-2

No	Characteristics	Test or calculation standard	Classification standard	Unit	Class/ value	Test report	Notified body*
1.	Resistance to vertical load	EN 947	EN 1192	Class	4	No. 048 SF/19 SD	2018
2.	Resistance to static torsion	EN 948		Class	4	No. 048 SF/19 SD	
3.	Resistance to soft and heavy body impact	EN 949		Class	4	No. 048 SF/19 SD	
4.	Resistance to hard body impact	EN 950		Class	4	No. 048 SF/19 SD	
5.	Sound insulation	EN ISO 10140-2 EN ISO 717-1	-	Rw	28 dB	No. EUFI29-20004975-T2-EN	0809

**\*Notified body:**


2018 – KTU Science Laboratory of Building Thermal Physics, Tunelio g. 60, LT-44405 Kaunas, Lithuania  
 0809 - Eurofins Expert Services Oy, Kivimiehentie 4, 02150 Espoo, Finland

- Products are produced according to standardisation proposal SFS 4434 in case it is not in conflict with European standards.
- Products are installed according to the product installation and maintenance instructions.
- “Warranty conditions for doors and windows sold by AS Viljandi Aken ja Uks” apply to the sale of products.

The Declaration of Conformity is established in accordance with Regulation 305/2011/EU.

AS Viljandi Aken ja Uks

Veiko Põldsaar  
 R&D Manager



09.12.2020