

Wood burning heater Harvia Legend 240 GreenFlame

WK200LD

Fire roars cleanly behind the large glass door of the Harvia Legend 240 GreenFlame wood-burning heater, and you can just enjoy the magical and relaxing ambiance. The low-emission, durable and easy-to-use sauna heater is suited to medium-sized saunas. Its hefty stone quantity guarantees a traditional, soft sauna bath.

Advantages

- Cleaner combustion
- 70% lower carbon monoxide emissions
- 90% larger glass door



Features

Main material : Steel

H x W x D : 835.0 x 600.0 x 600.0 mm

Net weight (kg) : 76.1

Stone amount (kg) : 200.0

ID	GTIN	Power	Sauna room size min - max m3
WK200LD	6417659024853	15.9 kW	10.0-20.0

Spare parts

Product	ID	Pcs
Furnace grate	ZKIP-10	1
Connection pipe	ZKIP-130	1
Glass+fixing parts, spare part set	WX676	1
Ashpan RST Pro	ZKIP-720	1
Legend 240 steel frame	WX502	1
Harvia mark	ZH1-170	
Handle for ash box	ZKIP-680	
Stove door with glass	ZKIP-690	
Handle for door Legend GF	WX687	
	ZKIP-155	
Adjustable legs for LG150/SL	SPZKIP-918	
Door for stove with knob, black	SP010	
Hinge pin, long	SP675	1
Combustion air plates to fire chamber	SP526	
Spare part, latching pin	SP674	1
Glass kit, GreenFlame	SP676	1
Ashtray black, sauna heaters	SP682	
Cap for smoke hole (Ø 50 mm)	SPZKIP-170	
Big glass door	SP673	
Handle for door Legend GF	SP687	
Cast-iron grating 135x290mm, sauna heaters	SPZKIP-10	

Technical details

Technical data	Type / attribute	WK200LD
	Color	Black
	Power output	15.9 kW
	Stone amount (kg)	200
Dimensions	Product width	600
	Product height	835
	Product depth (mm)	600
	Net weight (kg)	76.1
	Gross weight	79.2
	Package width	620
	Package height	870
	Package depth	620
Connections	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	630
	Safety distance front (combustible materials)	630
	Safety distance right side (combustible materials)	200
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	200
	Safety distance left side non-combustible materials	100
	Safety distance side (non-combustible materials)	50

Technical details

Technical data	Type / attribute	WK200LD
	safety distance to the side wall (combustible materials)	200
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	250
	Safety distance (Ceiling)	1200
	Room min. height(depends on connections and therefore from output, star/delta)	2100
	Installation opening height	2100
	Installation opening width	1000
	Installation opening depth	1480


Technical images

EN

DE


4. SPARE PARTS

4. ERSATZTEILE




1	Firing grate	Feuerrost	ZKP-10
2	Combustion air channels, GreenFlame	Verbrennungsluftkanäle, GreenFlame	WX678
3	Big glass door	Große Glastür	WX673
4	Handle for big glass door	Griff für große Glastür	WX667
5	Axle pin for door, long	Achsbolzen für Tür, lang	WX676
6	Latch pin	Raststift	WX674
7	Glass 221x310 = fasteners	Glas 221 x 310 = Halterungen	WX676
8	Ash box with stop device	Aschekasten mit Anretervorrichtung	WX662
9	Legend 240 steel frame	Stahlrahmen für Legend 240	WX502
10	Spare stove body	Ersatz-Ofenkörper	WX677

We recommend to use only the manufacturer's spare parts.
Es dürfen ausschließlich die Ersatzteile des Herstellers verwendet werden.



Legend Protection Supplies (all dimensions in millimeters)

40



Safety distances (all dimensions in millimeters)