

---

# Casco ClearTech

---

## DECLARATION OF PERFORMANCE

### No. 72548946

---

1	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	72548946
2	<b>INTENDED USE/S</b>	EN 15651-1:2012: F-INT Sealants for façade elements for interior application only
3	<b>MANUFACTURER:</b>	Sika Sweden
4	<b>AUTHORISED REPRESENTATIVE:</b>	
5	<b>SYSTEM/S OF AVCP:</b>	System 3 System 4 for reaction to fire
6a	<b>HARMONISED STANDARD:</b>	EN 15651-1:2012

---

Notified body/ies:

**7 DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	Class E	System 4	EN 15651-1:2012
Release of chemicals dangerous to the environment and health	NPD (See material safety data sheet)	System 3	
Water tightness and air tightness			
Resistance to flow	≤ 3 mm	System 3	
Loss of volume	≤ 45 %	System 3	
Tensile properties: elongation at break at 23°C	≥ 25 %	System 3	
Durability	Pass	System 3	



**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Daniel Jonsson  
 Function: General manager  
 At Spånga on 31 May 2023

Name : Marie Rönn  
 Function: Product manager  
 At Spånga on 31 May 2023

End of information as required by Regulation (EU) No 305/2011

**Declaration of Performance**

Casco ClearTech  
 72548946  
 2023.05 , ver. 1  
 Position





14

Sika Sweden

DoP No. 72548946

EN 15651-1: 2012 F-INT

Notified Body

Sealants for façade elements for interior application only

Reaction to fire	Class E
Resistance to flow	≤ 3 mm
Loss of volume	≤ 45 %
Tensile properties: elongation at break at 23°C	≥ 25 %
Durability	Pass

<http://dop.sika.com>

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

## LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

### Declaration of Performance

Casco ClearTech

72548946

2023.05 , ver. 1

Position

**Sika Sverige AB**  
Domnarvsgatan 15  
16353 Spånga  
Sweden  
[www.sika.se](http://www.sika.se)

**Declaration of Performance**  
Casco ClearTech  
72548946  
2023.05 , ver. 1  
Position

**4/4**

**BUILDING TRUST**

