

MOVE & IMPROVE



Självhäftande mosaik

Ready. Easy. Nice.

Mosaik på ett självhäftande ark för gör-det-själv installation. Det bästa sättet att förbättra utseendet på ditt kök, badrum* eller husets andra rum. *(kan ej användas direkt i duschutrymmen).



1 Gör rent



2 Ta bort skyddsfilm



3 Tryck dit och foga

Hur gör man:

- * Gör rent ytan och låt den torka
- * Placera mosaiken på väggen och se till att det blir rakt
- * Skär mosaiken så den passar till ytan
- * Dra bort skyddsfilm och tryck dit mosaiken på väggen
- * Foga mosaiken om nödvändigt, vissa typer kräver endast silikon runt om hela ytan som mosaiken är satt på.

Material som krävs för installation:

- * Fog
- * Valfritt: Primer

Weitere Informationen/Video
Further information/Video
www.moveandimprove.eu



MOVE & IMPROVE

Rekommenderade verktyg:

Move&Improve seriens självhäftande mosaik måste kontrolleras efter variation i färg och dimension innan sättning. Små variationer kan förekomma på grund av material och produktionsprocess. Installerad mosaik är exkluderad från reklamation. För bästa resultat, följ instruktionerna nedan.:



Svamp



Kniv



Fogplatta



Penna



**Spackel-
spade/
murslev**




**Vatten-
pass/
linjal**

Innan du börjar:

Innan sättning, förvara inte mosaiken utomhus eller fuktigt. För att säkerställa att fukt inte tränger in så foga mosaiken (gäller endast mosaik som behöver fogas). Undvik att sätta mosaiken på ställen som är utsatta för hög värme, t.ex. vid braskamin, gasspis eller vid direkt eld. Se till att underlaget som mosaiken ska sättas på är ren, torr och fri från partiklar. För porösa/råa underlag använd primer och låt den torka innan mosaiken installeras.

Installera inte produkten direkt på underlag som är porösa eller som är gjorda av latex, vinyl och polyvinylacetat (PVA).

Mosaiken är väldigt svår att ta bort när den är fäst och har torkat på väggen. Därav säkerställ mosaikens plats och storlek innan den appliceras på väggen. Om det skulle bli fel så måste mosaiken tas bort snabbt innan den hinner fästa. Ett ark som har tagits bort en gång kan inte användas igen och ett nytt ark måste användas.



MOVE & IMPROVE



Self-adhesive Mosaic

Ready. Easy. Nice.

Mosaic on a self-adhesive sheet for a DO IT YOURSELF installation. The best way to enhance the look of your kitchen, bathroom and to revamp the walls of all your rooms.



1 CLEAN



2 PEEL



3 STICK-ON

How to:

- * Just clean the surface and let it dry
- * Position it on the wall and make sure to align it.
- * Peel the foil off and stick the mosaic on
- * cut it if you need to
- * grout it if it necessary (some products just need to get sealed)

Materials needed for Installation:

- * Grout for joints
- * Optional: Primer (e.g. for plaster or wood)

Weitere Informationen/Video
Further information/Video
www.moveandimprove.eu



MOVE & IMPROVE

Recommended Tools:

Move&Improve self-adhesive Mosaic has to be checked of variation in color and dimension before laying. Small variation are possible due to material and production. The installed mosaic is excluded from claim. For best results, follow instructions as detailed below (newest version and other European languages can be found on www.moveandimprove.eu):



Sponge



**Cutter
knife**



**Rubi
Grout
Gloat**



Pencil



Trowel



Level

Before you start:

Before use, do not store Mosaic sheets outside or in damp places. To ensure impermeability of the sheet once installed, the joints must be filled with grout. Do not tile shower plates or areas exposed to abundant water (e.g. Swimming pool).

Avoid extremely hot heat areas like a gas stove, chimney or open flames. Make sure the surface that will be covered is very clean, dry and free of dust. For highly porous and/or coarse surfaces, apply a layer of primer and then let it dry before installing the self-adhesive sheet. Do not apply the product on surfaces being porous/rough and/or containing latex, vinyl or polycylnyl acetate (PVA). The mosaic sheets are very difficult to remove once they have been adhered to the wall.

So make sure they are correctly positioned on the surface before placing them. If the product is not installed correctly it must be removed quickly.

A removed sheet cannot be used anymore and has to be replaced with a new sheet.

