












#### **PRODUCTS**





#### WITH SOCKET




- THE DIRECT INSTALLATION OF ONEQ PRODUCTS INTO A COUNTERTOP OR TABLE REQUIRES A SQUARE OPENING WITH A RECESSED GROOVE.
- PLEASE ADHERE TO THE MEASUREMENTS IN THIS MANUAL,
- THE ONEQ SOCKET IS MANDATORY FOR BUILDING IN A FLAME OR GLOW.
- ATTACH THE 4 SUPPLIED SILICONE BUFFERS TO THE TOP OF THE SOCKET.
- PLEASE REMOVE ALL FOIL BEFORE USING THE SOCKET.
- IT IS VERY IMPORTANT TO USE A COUNTERTOP OR TABLE MADE OF NON-COMBUSTABLE MATERIAL.
- ENSURE THERE IS ENOUGH VENTILATION AND AIR SUPPLY UNDERNEATH AND SURROUNDING THE COUNTERTOP OR TABLE
- THE USE OF A SOCKET ADAPTOR PROVIDES EXTRA PROTECTION AND EXCLUDES THE NEED FOR A RECESSED GROOVE IN YOUR COUNTERTOP OPENING.
- THE SOCKET ADAPTOR PLUS IS REQUIRED FOR PROPER FUNCTIONING OF A ROASTING HOOD AND EXCLUDES THE NEED FOR A RECESSED GROOVE IN YOUR COUNTERTOP OPENING.
- IF YOU HAVE ANY QUESTIONS REGARDING SAFETY OR THE PROCEDURES DESCRIBED IN THIS MANUAL, PLEASE DO NOT HESITATE TO CONTACT US DIRECTLY AT SUPPORT@ONE-Q.COM.
- FOR INFORMATION ON CUSTOM MADE GRILLS OR CONCRETE OR STAINLESS STEEL TABLES, WE WILL GLADLY HELPYOU AT SALES@ONE-Q.COM.





WITH SOCKET AND ADAPTOR OR ADAPTOR PLUS




SOCKET WITH ADAPTOR SOCKET WITH ADAPTOR PLUS





MEASUREMENTS SOCKET ONLY

#### SOCKET WITH ADAPTOR















ONEQ BV WYNS 49 909 | BA WYNS THE NETHERLANDS ONE-Q.COM

